LIST OF CORRECTIONS

Chart	INT 1474 - BE101
	Oostende - Westkapelle
	Edition Number: 1 Edition Date: 06 March 2025
Updated up to and including NMs	23 / 2026
	5 November 2026

The last version of these corrections are available on
www.agentschapmdk.be/en/publications

2025

06/099(T) - 06/100(T) - 06/102(T) - 06/103 - 06/104(T) - 06/110(T) - 07/113(P) - 07/114 - 07/115 - 07/116 - 08/118 - 08/120(T) - 08/121(T) - 09/124 - 11/134 - 11/140 - 11/141 - 12/142 - 12/143 - 12/144 - 13/149(T) - 13/150(T) - 13/151(T) - 14/153 - 15/155 - 17/158 - 17/159(T) - 18/160 - 18/161 - 18/164 - 19/165 - 19/167 - 20/170 - 21/173 - 22/176(T) - 24/182(T) - 24/183 - 26/186

2026

02/078(T) - 03/081 - 07/095 - 07/096(T) - 08/100 - 08/102 - 09/105 - 09/106(T) - 10/110 - 11/112 - 11/113 - 12/114 - 12/116 - 14/119 - 14/120 - 15/122 - 15/124(T) - 16/126 - 17/128 - 17/130(T) - 17/131(T) - 17/132 - 18/134 - 18/135 - 18/137 - 18/138(T) - 20/143(P) - 21/146 - 21/147 - 21/148 - 22/149(T)

2025-06/099(T) COASTAL ROUTE - DE PANNE-OOSTENDE - STROOMBANK - BUOYS

NtM 2024-26/198(T) is cancelled.

BE11, BE102 (INT 1480), BE101 (INT 1474)
Insert:
- Buoy, yellow conical, St Andrew's cross as topmark, Fl.Y.5s in position 51°13,40'N 002°49,60'E

BE102 (INT 1480), BE101 (INT 1474)
Insert:
- Buoy, yellow conical, St Andrew's cross as topmark, Fl.Y.5s in position 51°14,22'N 002°48,62'E

BE102 (INT 1480)
Insert:
- Buoy, yellow can, St Andrew's cross as topmark, Fl.Y.5s in position 51°12,58'N 002°50,35'E

Each buoy covers a current meter on the seabed.

2025-06/100(T) COASTAL ROUTE - DE PANNE-OOSTENDE - KLEINE REDE - BUOY

NtM 2023-08/119(T) is cancelled.

Insert:
- Buoy JDN, north cardinal pillar, Q in position 51°13,33'N 002°51,38'E

2025-06/102(T) COASTAL ROUTE - OOSTENDE-ZEEBRUGGE - BUOY

NtM 2024-10/126(T) is cancelled.

Insert:
- Buoy MOG22, yellow can, Q in position 51°19,66'N 003°08,77'E

This buoy covers a measuring frame.

2025-06/103 PORT OF ZEEBRUGGE - OUTER PORT - ALBERT II-DOK - DREDGED AREA

Delete:
- Limit of dredged area (INT1 I20) between following positions:
  51°20,62'N 003°10,73'E
  51°20,59'N 003°10,77'E
Insert:
- Limit of dredged area (INT1 I20) between following positions:
  51°20,67'N 003°10,83'E
  51°20,64'N 003°10,87'E

2025-06/104(T) PORT OF ZEEBRUGGE - INNER PORT - VERBINDINGSDOK - FLOATING DOCK-OBSTRUCTION - BUOYS

NtM 2024-17/160(T) is cancelled.

Delete:
- Floating dock (INT1 F26) bounded by following positions:
51°18,88'N 003°12,78'E
51°18,89'N 003°12,81'E
51°18,82'N 003°12,83'E
51°18,81'N 003°12,81'E
Insert:
- Obstruction (INT1 H40) bounded by following positions:
51°18,88'N 003°12,78'E
51°18,89'N 003°12,81'E
51°18,82'N 003°12,83'E
51°18,81'N 003°12,81'E
- Emergency wreck marking buoy 2, yellow-blue vertically striped spar, vertical cross as topmark in position
51°18,82'N 003°12,84'E
- Emergency wreck marking buoy 3, yellow-blue vertically striped spar, vertical cross as topmark in position
51°18,81'N 003°12,80'E

2025-06/110(T) APPROACH WESTERSCHELDE - CADZAND - BUOYS

Insert:
- Buoy CZ-N 1, north cardinal pillar, VQ in position 51°23,29'N 003°23,45'E
- Buoy CZ-N 2, north cardinal spar, Q in position 51°23,50'N 003°24,20'E
- Buoy CZ-N 3, north cardinal pillar, VQ in position 51°23,72'N 003°24,95'E

2025-07/113(P) SEAAREA (COAST) - UNITED KINGDOM TO OOSTENDE - SUBMARINE CABLE - WORKS IN PROGRESS

Submarine cable laying works are taking place, joining the following positions:
51°22,58'N 002°04,92'E
51°22,63'N 002°06,71'E
51°22,36'N 002°08,59'E
51°22,53'N 002°12,70'E
51°21,80'N 002°14,73'E
51°21,37'N 002°17,93'E
51°21,59'N 002°22,00'E
51°22,47'N 002°27,09'E
51°22,27'N 002°28,42'E
51°22,23'N 002°32,09'E
51°21,27'N 002°33,95'E
51°20,89'N 002°40,56'E
51°21,28'N 002°41,97'E
51°21,00'N 002°44,40'E
51°17,38'N 002°47,99'E
51°13,57'N 002°53,85'E

Mariners are advised to navigate with caution in the area.
Charts will be updated when the works are complete.

2025-07/114 COASTAL ROUTE - DE PANNE-OOSTENDE - OOSTDYCK-KWINTE - WRECKS

BE11, BE102 (INT1480), BE101 (INT 1474)
Change:
- Wreck, least depth 18 in position 51°16,43'N 002°41,45'E into wreck, least depth 13,9
- Wreck, least depth 21,5 in position 51°20,71'N 002°45,58'E into wreck, least depth 20,3

BE11, BE102 (INT1480)
Change:
- Foul ground in position 51°08,15'N 002°32,43'E into wreck, least depth 12

2025-07/115 COASTAL ROUTE - DE PANNE-OOSTENDE - STROOMBANK - BUOYS

NtM 2025-06/099(T) is cancelled.

2025-07/116 PORT OF ZEEBRUGGE - INNER PORT - VERBINDINGSDOK - PILES - LIGHTS

Delete:
- Pile with lights F.GRR(vert) in position 51°18,57'N 003°12,32'E
- Pile with lights F.GRR(vert) in position 51°18,57'N 003°12,36'E

2025-08/118 PORT OF BLANKENBERGE - PILES - LIGHTS

Delete:
- Pile with light F.G.8m5M in position 51°18,88'N 003°06,47'E
- Light F.G in position 51°18,73'N 003°06,76'E
Insert:
- Pile with light F.G.7m2M in position 51°18,94'N 003°06,39'E
- Pile in position 51°18,90'N 003°06,45'E
- Pile in position 51°18,87'N 003°06,50'E
- Pile in position 51°18,84'N 003°06,56'E
- Pile in position 51°18,81'N 003°06,61'E
- Pile in position 51°18,78'N 003°06,67'E
- Pile with light F.G in position 51°18,76'N 003°06,72'E

2025-08/120(T) APPROACH WESTERSCHELDE - CAROLUSBANKJE - BUOYS

Insert:
- Buoy MP 1, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,24'N 003°19,25'E
- Buoy MP 2, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,50'N 003°19,24'E
- Buoy MP 3, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,77'N 003°19,23'E
- Buoy MP 4, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,04'N 003°19,22'E
- Buoy MP 5, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,31'N 003°19,20'E

Each buoy covers a measuring frame.

2025-08/121(T) APPROACH WESTERSCHELDE - RAAN - BUOYS

Insert:
- Buoy VR-A, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,77'N 003°18,53'E
- Buoy VR-C, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°29,46'N 003°21,94'E

Each buoy covers a measuring frame.

2025-09/124 COASTAL ROUTE - OOSTENDE-ZEEBRUGGE - AREA INTO WHICH ENTRY IS PROHIBITED

Delete:
- Area into which entry is prohibited (INT1 N2.2) bounded by following positions:
  51°15,03'N 002°55,35'E
  51°14,84'N 002°55,58'E
  51°14,69'N 002°55,27'E
  51°14,88'N 002°55,04'E

Insert:
- Limit of area into which entry is prohibited (INT1 N2.2), between following positions, connected by a half circle, with centre point 51°14,78'N 002°55,16'E and radius 220 m:
  51°14,88'N 002°55,04'E
  51°14,69'N 002°55,27'E

Adjust the magenta text Buoyed to fit the half circle.
Move the entry prohibited sign inside the circle.

2025-11/134 PORT OF ZEEBRUGGE - INNER PORT - ZUIDELIJK INSTEEKDOK - BUOYS

Delete:
- Buoy in position 51°17,81'N 3°14,24'E
- Buoy in position 51°17,77'N 3°14,27'E

2025-11/140 APPROACH WESTERSCHELDE - CADZAND - BUOYS

NtM 2025-06/110(T) is cancelled.

2025-11/141 APPROACH WESTERSCHELDE - RAAN - BUOYS

NtM 2025-08/121(T) is cancelled.

2025-12/142 COASTAL ROUTE - OOSTENDE-ZEEBRUGGE - MIDDELKERKEBANK - WRECKS

BE11, BE102 (INT 1480), BE101 (INT 1474)
Change:
- Wreck, least depth 11 in position 51°19,88'N 002°45,76'E into wreck, least depth 10,1
- Wreck, least depth 1,5 in position 51°14,81'N 002°56,30'E into wreck, least depth 0,9

BE102 (INT 1480), BE101 (INT 1474)
Change:
- Wreck, least depth 4 in position 51°15,09'N 002°56,64'E into wreck, least depth 2,9

BE11
Change:
- Wreck, least depth 3,5 in position 51°15,15'N 002°56,65'E into wreck, least depth 2,9

2025-12/143 APPROACH WESTERSCHELDE - CAROLUSBANKJE - BUOYS

NtM 2025-08/120(T) is cancelled.

2025-12/144 WESTERSCHELDE - VLISSINGEN-BORSSELE - BUOY

Insert:
- Buoy SS3, green conical, Q.G in position 51°25,26'N 003°37,90'E

2025-13/149(T) APPROACH WESTERSCHELDE - WIELINGEN - BUOY

Insert:
- Buoy NS-N, north cardinal pillar, VQ in position 51°24,75'N 003°31,27'E

2025-13/150(T) WESTERSCHELDE - VLISSINGEN-BORSSELE - HOOGE PLATEN - BUOYS

BE11, BE101 (INT 1474)
Insert:
- Buoy HP A, yellow conical, St Andrew's cross as topmark in position 51°24,50'N 003°34,52'E

BE101 (INT 1474)
Insert:
- Buoy HP B, yellow conical, St Andrew's cross as topmark in position 51°24,57'N 003°35,67'E
- Buoy HP C, yellow conical, St Andrew's cross as topmark in position 51°24,68'N 003°36,71'E

Each buoy covers a measuring frame.

2025-13/151(T) WESTERSCHELDE - VLISSINGEN-BORSSELE - LIGHT

Delete:
- Light Iso.R.3s11m2M in position 51°26,37'N 003°34,52'E

2025-14/153 APPROACH WESTERSCHELDE - ROOMPOT - BUOYS - MARINE FARM

Delete:
- Buoy RP-A in position 51°36,50'N 003°36,26'E
- Buoy RP-B in position 51°36,50'N 003°36,82'E
- Buoy RP-C in position 51°36,27'N 003°36,82'E
- Buoy RP-D in position 51°36,27'N 003°36,26'E
- Marine farm (INT1 K48.1) bounded by following positions:
  51°36,50'N 003°36,26'E
  51°36,50'N 003°36,82'E
  51°36,27'N 003°36,82'E
  51°36,27'N 003°36,26'E

2025-15/155 WESTERSCHELDE - VLISSINGEN-BORSSELE - HOOGE PLATEN - BUOYS

NtM 2025-13/150(T) is cancelled.

2025-17/158 COASTAL ROUTE - OOSTENDE-ZEEBRUGGE - BUOY

NtM 2025-06/102(T) is cancelled.

2025-17/159(T) APPROACH WESTERSCHELDE - RAAN - BUOYS

Insert:
- Buoy VR-A, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°29,36'N 003°13,52'E
- Buoy VR-C, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°31,67'N 003°17,10'E

Each buoy covers a measuring frame.

2025-18/160 WESTHINDER - BATHYMETRY

BE11, BE102 (INT 1480), BE101 (INT 1474)
Insert:
- Sounding 14,6 in position 51°24,55'N 002°44,21'E
- Sounding 16,6 in position 51°21,08'N 002°46,85'E
Change:
- Sounding 19,7 in position 51°21,92'N 002°48,28'E into 19,2

BE11, BE102 (INT 1480)
Delete:
- Sounding 14,5 in position 51°23,98'N 002°32,46'E
Insert:
- Sounding 14,2 in position 51°23,95'N 002°32,14'E
- Sounding 15 in position 51°26,07'N 002°34,06'E
Change:
- Sounding 9,2 in position 51°24,62'N 002°32,75'E into 8,8
- Extend 10 m depth contour in position 51°24,50'N 002°32,71'E to position 51°24,31'N 002°32,63'E
- Extend 10 m depth contour in position 51°24,87'N 002°32,82'E to position 51°24,94'N 002°32,86'E

BE11, BE101 (INT 1474)
Insert:
- Sounding 21,5 in position 51°27,31'N 002°43,49'E

BE102 (INT1480), BE101 (INT 1474)
Delete:
- Sounding 15,3 in position 51°24,51'N 002°44,24'E
- Sounding 17,5 in position 51°21,14'N 002°46,85'E

BE11
Insert:
- Sounding 19,7 in position 51°27,75'N 002°35,06'E, extend 20 m depth contour to the west
Change:
- Sounding 18,6 in position 51°27,79'N 002°35,58'E into 18,2

BE102 (INT 1480)
Delete:
- Sounding 17,6 in position 51°26,22'N 002°34,04'E

2025-18/161 WIELINGEN - BATHYMETRY

BE11, BE101 (INT 1474)
Insert:
- Sounding 7,5 in position 51°23,83'N 003°12,83'E

BE101 (INT 1474)
Delete:
- Sounding 6,4 in position 51°23,34'N 003°18,65'E
- Sounding 6 in position 51°23,17'N 003°18,86'E
Insert:
- Sounding 5,6 in position 51°23,23'N 003°18,79'E
Change:
- Sounding 12,1 in position 51°22,18'N 003°12,20'E into 11,3

2025-18/164 WESTERSCHELDE - VLISSINGEN-BORSSELE - LIGHT

NtM 2025-13/151(T) is cancelled.

2025-19/165 PORT OF ZEEBRUGGE - INNER PORT - VERBINDINGSDOK - BUOYS

Insert:
- Buoy, yellow pillar, St Andrew's cross as topmark, Q.W in position 51°18,59'N 003°12,38'E
- Buoy, yellow conical in position 51°18,61'N 003°12,45'E
- Buoy, yellow conical in position 51°18,62'N 003°12,52'E
- Buoy, yellow conical in position 51°18,64'N 003°12,59'E
- Buoy, yellow conical in position 51°18,66'N 003°12,67'E

2025-19/167 APPROACH WESTERSCHELDE - RAAN - BUOYS

NtM 2025-17/159(T) is cancelled.

2025-20/170 COASTAL ROUTE - OOSTENDE-ZEEBRUGGE - BATHYMETRY

BE11, BE102 (INT 1480), BE101 (INT 1474)
Delete:
- Sounding 13,2 in position 51°20,12'N 002°53,38'E
Insert:
- Sounding 12,6 in position 51°20,08'N 002°53,73'E
- Sounding 10,7 in position 51°20,83'N 002°56,16'E
- Sounding 3,4 in position 51°18,84'N 003°01,66'E, enclosed by 5 m depth contour

BE102 (INT 1480), BE101 (INT 1474)
Delete:
- Sounding 11,5 in position 51°20,83'N 002°55,82'E
Change:
- Sounding 7,7 in position 51°18,53'N 002°54,90'E into 7,1

2025-21/173 SEAAREA (COAST) - UNITED KINGDOM TO OOSTENDE - SUBMARINE CABLE

NtM 2025-07/113(P) is cancelled.

Insert:
- Submarine cable (INT1 L30.1) joining the following positions:
  51°22,55'N 002°04,92'E
  51°22,63'N 002°07,14'E
  51°22,35'N 002°08,63'E
  51°22,56'N 002°12,50'E
  51°22,25'N 002°13,98'E
  51°21,62'N 002°15,19'E
  51°21,36'N 002°18,29'E
  51°21,60'N 002°20,54'E
  51°21,58'N 002°22,02'E
  51°21,78'N 002°22,74'E
  51°21,86'N 002°23,92'E
  51°22,39'N 002°25,94'E
  51°22,48'N 002°27,09'E
  51°22,26'N 002°28,35'E
  51°22,46'N 002°29,68'E
  51°22,23'N 002°32,39'E
  51°22,04'N 002°32,82'E
  51°21,45'N 002°33,54'E
  51°21,21'N 002°34,29'E
  51°21,20'N 002°36,94'E
  51°20,97'N 002°37,87'E
  51°20,86'N 002°40,35'E
  51°21,29'N 002°42,14'E
  51°21,01'N 002°44,38'E
  51°20,82'N 002°44,66'E
  51°20,46'N 002°44,70'E
  51°20,12'N 002°44,95'E
  51°19,51'N 002°45,94'E
  51°17,86'N 002°47,25'E
  51°16,74'N 002°49,09'E
  51°15,18'N 002°51,01'E
  51°13,51'N 002°53,85'E

2025-22/176(T) APPROACH WESTERSCHELDE - RAAN - BUOYS

Insert:
- Buoy MP 1, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°31,42'N 003°13,33'E
- Buoy MP 2, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°30,42'N 003°15,12'E
- Buoy MP 3, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°29,23'N 003°17,09'E
- Buoy MP 4, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°28,16'N 003°19,00'E
- Buoy MP 5, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°27,07'N 003°21,00'E

Each buoy covers a measuring frame.

2025-24/182(T) COASTAL ROUTE - DE PANNE-OOSTENDE - STROOMBANK - BUOYS

BE11, BE102 (INT 1480), BE101 (INT 1474)
Insert:
- Buoy HD24, yellow conical, St Andrew's cross as topmark, Fl.Y.5s in position 51°13,40'N 002°49,60'E

BE102 (INT 1480)
Insert:
- Buoy HD25, yellow conical, St Andrew's cross as topmark, Fl.Y.5s in position 51°12,58'N 002°50,35'E

Each buoy covers a measuring instrument.

2025-24/183 APPROACH WESTERSCHELDE - WIELINGEN - BUOY

NtM 2025-13/149(T) is cancelled.

2025-26/186 APPROACH WESTERSCHELDE - RAAN - BUOYS

NtM 2025-22/176(T) is cancelled.

2026

2026-02/078(T) APPROACH WESTERSCHELDE - BUOY

Insert:
- Buoy MT-W, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°24,59'N 003°27,19'E

This buoy covers a measuring instrument.

2026-03/081 PORT OF ZEEBRUGGE - INNER PORT - VERBINDINGSDOK - FLOATING DOCK - OBSTRUCTION - BUOYS

NtM 2025-06/104(T) is cancelled.

2026-07/095 COASTAL ROUTE - DE PANNE-OOSTENDE - STROOMBANK - BUOYS

NtM 2025-24/182(T) is cancelled.

2026-07/096(T) APPROACH WESTERSCHELDE - SLUISSCHE HOMPELS - BUOYS

Insert:
- Buoy MP 1, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,43'N 003°22,07'E
- Buoy MP 2, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,49'N 003°23,04'E
- Buoy MP 3, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,54'N 003°23,90'E
- Buoy MP 4, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,62'N 003°25,14'E
- Buoy MP 5, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,63'N 003°25,83'E

Each buoy covers a measuring instrument.

2026-08/100 TSS-WESTHINDER - WRECKS

BE11, BE102 (INT 1480)
Insert:
- Magenta text "Historic Wk (see note)" at wreck in position 51°22,90'N 002°37,22'E

BE11, BE102 (INT1480), BE101 (INT 1474)
Insert:
- Magenta text "Historic Wk (see note)" at wreck in position 51°22,71'N 002°43,36'E

2026-08/102 APPROACH WESTERSCHELDE - BUOY

NtM 2026-02/078(T) is cancelled.

2026-09/105 APPROACH WESTERSCHELDE - OOSTGAT - ZOUTELANDE - LIGHT

Change:
- Light Sergeant, F.22m12M in position 51°30,28'N 003°28,41'E into F.22m2M

2026-09/106(T) APPROACH WESTERSCHELDE - WALVISCHSTAART - BUOYS

Insert:
- Buoy VR-A, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,18'N 003°20,07'E
- Buoy VR-C, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,65'N 003°23,85'E

Each buoy covers a measuring instrument.

2026-10/110 APPROACH WESTERSCHELDE - VLISSINGEN - SECTOR LIGHT

Change:
- Light, Oc.R.5s7m5M in position 51°26,43'N 003°34,14'E into sector light, Oc.R.5s7m5M, 285°-R-135,5°

2026-11/112 APPROACH WESTERSCHELDE - WALVISCHSTAART - BUOYS

NtM 2026-09/106(T) is cancelled.

2026-11/113 APPROACH WESTERSCHELDE - WESTPIT - WRECK

Insert:
- Wreck, least swept depth 20,7 in position 51°32,31'N 003°09,39'E

2026-12/114 WIELINGEN - PAARDENMARKT - BATHYMETRY

BE11, BE102 (INT 1480), BE101 (INT 1474)
Delete:
- Sounding 14 in position 51°21,97'N 002°57,17'E
Insert:
- Sounding 11,4 in position 51°21,83'N 002°57,37'E

BE11, BE101 (INT 1474)
Delete:
- Sounding 4,5 in position 51°22,44'N 003°15,78'E
Insert:
- Sounding 3,6 in position 51°22,39'N 003°15,86'E, extend 5 m depth contour to the southeast

2026-12/116 APPROACH WESTERSCHELDE - SLUISSCHE HOMPELS - BUOYS

NtM 2026-07/096(T) is cancelled.

2026-14/119 PORT OF BLANKENBERGE

Insert accompanying blocks.
Pay attention to the scale when printing, see printer settings.

2026-14/120 APPROACH WESTERSCHELDE - ROOMPOT - BATHYMETRY

Delete:
- Sounding 3,2 in position 51°34,43'N 003°27,74'E
- Sounding 3,4 in position 51°35,31'N 003°30,81'E
Insert:
- Sounding 2,6 in position 51°34,42'N 003°27,96'E
- Sounding 2,4 in position 51°35,29'N 003°31,05'E

2026-15/122 WIELINGEN - FISHERY LIMIT

Delete:
- Fishery limit between following positions:
  51°21,22'N 003°03,21'E
  51°21,57'N 003°04,25'E
  51°21,91'N 003°05,54'E
Insert:
- Fishery limit between following positions:
  51°21,22'N 003°03,21'E
  51°21,47'N 003°03,72'E
  51°21,67'N 003°04,31'E
  51°21,82'N 003°04,94'E
  51°21,91'N 003°05,54'E

2026-15/124(T) APPROACH WESTERSCHELDE - SARDIJNGEUL - BUOYS

Move:
- Buoy SG 3 from position 51°26,62'N 003°33,46'E to position 51°26,72'N 003°33,21'E
- Buoy SG-W from position 51°26,36'N 003°33,78'E to position 51°26,34'N 003°33,87'E

2026-16/126 APPROACH WESTERSCHELDE - SARDIJNGEUL - BUOYS

NtM 2026-15/124(T) is cancelled.

2026-17/128 PORT OF ZEEBRUGGE - OUTER PORT - INNER PORT - LIGHTS

Insert:
- Light F.G in position 51°21,22'N 003°11,60'E
- Light F.R in position 51°21,02'N 003°11,61'E
- Light F.R in position 51°18,89'N 003°12,80'E
- Light F.G in position 51°19,06'N 003°12,99'E
- Light F.R in position 51°19,77'N 003°13,21'E
- Light F.G in position 51°19,11'N 003°13,25'E
- Light F.G in position 51°19,80'N 003°13,30'E

Move:
- Light F.G from position 51°20,01'N 003°11,84'E to position 51°20,02'N 003°11,82'E

2026-17/130(T) APPROACH WESTERSCHELDE - CAROLUSBANKJE - BUOYS

Insert:
- Buoy MP 1, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,61'N 003°19,22'E
- Buoy MP 2, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,82'N 003°20,05'E
- Buoy MP 3, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,99'N 003°21,21'E
- Buoy MP 4, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,03'N 003°22,14'E
- Buoy MP 5, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,08'N 003°22,94'E

Each buoy covers a measuring instrument.

2026-17/131(T) APPROACH WESTERSCHELDE - CAROLUSBANKJE - BUOYS

Insert:
- Buoy VR-A, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°26,18'N 003°20,07'E
- Buoy VR-C, yellow spar, St Andrew's cross as topmark, Fl(5)Y.20s in position 51°25,65'N 003°23,85'E

Each buoy covers a measuring instrument.

2026-17/132 APPROACH WESTERSCHELDE - CAROLUSBANKJE - BATHYMETRY

Delete:
- Sounding 6,9 in position 51°24,89'N 003°20,98'E
Insert:
- Sounding 5,9 in position 51°24,86'N 003°21,07'E

2026-18/134 VLAKTE VAN DE RAAN - WESTPIT - BATHYMETRY

BE11, BE102 (INT 1480), BE101 (INT 1474)
Delete:
- Sounding 15,9 in position 51°26,69'N 002°54,50'E
- Sounding 13,5 in position 51°27,06'N 002°56,76'E
- Sounding 10,5 in position 51°26,52'N 003°01,21'E
Insert:
- Sounding 15,4 in position 51°26,78'N 002°54,42'E
- Sounding 13 in position 51°27,12'N 002°56,74'E
- Sounding 16,5 in position 51°26,81'N 003°00,85'E
- Sounding 9,9 in position 51°26,52'N 003°01,27'E, enclosed by 10 m depth contour

BE102 (INT 1480), BE101 (INT 1474)
Delete:
- Sounding 18,6 in position 51°26,87'N 003°00,69'E
Insert:
- Sounding 13,6 in position 51°26,18'N 002°57,95'E

BE11, BE101 (INT 1474)
Delete:
- Sounding 6,7 in position 51°26,90'N 003°02,40'E
- Sounding 8,3 in position 51°26,54'N 003°05,63'E
- Sounding 7,5 in position 51°26,05'N 003°05,77'E
- Sounding 5,2 in position 51°26,17'N 003°07,66'E
- Sounding 14,2 in position 51°29,66'N 003°07,83'E
- Sounding 3,6 in position 51°25,22'N 003°09,54'E
- Sounding 3,9 in position 51°25,82'N 003°13,25'E
- Depth contour 5 m between positions 51°26,14'N 003°07,32'E and 51°25,93'N 003°07,32'E
Insert:
- Sounding 6 in position 51°26,72'N 003°02,31'E
- Sounding 7,8 in position 51°26,44'N 003°05,78'E
- Sounding 6,6 in position 51°25,95'N 003°05,98'E
- Sounding 4,5 in position 51°26,02'N 003°07,64'E
- Sounding 13,2 in position 51°29,46'N 003°08,08'E
- Sounding 3,3 in position 51°25,13'N 003°09,61'E
- Sounding 3,6 in position 51°25,70'N 003°13,13'E
- Depth contour 5 m between positions 51°26,14'N 003°07,32'E, 51°26,16'N 003°08,86'E, 51°26,00'N 003°08,86'E and 51°25,93'N 003°07,32'E

BE101 (INT 1474)
Delete:
- Sounding 17,6 in position 51°27,52'N 003°00,21'E
- Sounding 8,2 in position 51°27,25'N 003°02,38'E
- Sounding 8,3 in position 51°27,18'N 003°03,05'E
- Sounding 5,5 in position 51°26,12'N 003°08,36'E
- Sounding 4,2 in position 51°24,99'N 003°08,92'E
Insert:
- Sounding 15,6 in position 51°27,64'N 003°00,13'E
- Sounding 6,7 in position 51°27,19'N 003°02,15'E
- Sounding 7,4 in position 51°27,01'N 003°02,94'E
- Sounding 4,8 in position 51°26,03'N 003°08,49'E
- Sounding 3,9 in position 51°24,94'N 003°08,94'E

2026-18/135 PORT OF ZEEBRUGGE - INNER PORT - ZUIDELIJK INSTEEKDOK - BUOY

Delete:
- Buoy in position 51°17,91'N 003°14,16'E

2026-18/137 APPROACH WESTERSCHELDE - NOLLEPLAAT - BATHYMETRY

Delete:
- Sounding 0,1 in position 51°26,21'N 003°31,22'E
Insert:
- Sounding -0,1 in position 51°26,22'N 003°31,39'E, enclosed by 0 m depth contour

2026-18/138(T) APPROACH WESTERSCHELDE - GALGEPUT - BUOYS

Insert:
- Buoy ZS-DH, west cardinal pillar, Q(9)15s in position 51°27,66'N 003°31,38'E
Move:
- Buoy OG 18 from position 51°27,88'N 003°31,20'E to position 51°27,86'N 003°31,14'E

2026-20/143(P) SEAAREA (COAST) - PRINSES ELISABETH EILAND TO BLANKENBERGE - SUBMARINE CABLE AREA - WORKS IN PROGRESS

A submarine power cable area (INT1 L31.2) is being established between following positions:
51°31,19'N 002°30,45'E
51°31,75'N 002°31,13'E
51°28,26'N 002°38,63'E
51°23,37'N 002°47,97'E
51°21,02'N 002°51,13'E
51°20,60'N 002°54,90'E
51°19,93'N 003°09,75'E
51°19,31'N 003°08,04'E
51°19,91'N 002°54,77'E
51°20,37'N 002°50,53'E
51°22,87'N 002°47,18'E
51°27,69'N 002°37,95'E
Submarine cable laying works are taking place.
Anchoring and fishing are prohibited in the entire area.
Mariners are advised to navigate with caution in this zone.

The charts will be updated once the works have been completed.

2026-21/146 PORT OF ZEEBRUGGE - OUTER PORT - LEOPOLD II DAM - LIGHT

Change:
- Light, F.RW(vert) in position 51°20,65'N 003°11,66'E into F.GRR(vert)

2026-21/147 APPROACH WESTERSCHELDE - CAROLUSBANKJE - BUOYS

NtM 2026-17/130(T) and 2026-17/131(T) are cancelled.

2026-21/148 APPROACH WESTERSCHELDE - OOSTGAT - ZOUTELANDE - LIGHT

Change:
- Light Sergeant, F.22m2M in position 51°30,28'N 003°28,41'E into F.22m5M

2026-22/149(T) APPROACH WESTERSCHELDE - VAARWATER LANGS HOOFDPLAAT - BUOY

Insert:
- Buoy MP 01, yellow spar, St Andrew's cross as topmark in position 51°23,05'N 003°36,92'E

This buoy covers a measuring instrument.